# Contents

QL ser	ver	1
1. [	Database in single mode	2
1.1.	Event / Symptoms	2
1.2.	System Details	2
1.3.	Cause Identified	2
1.4.	Resolution	2
1.5.	Measures / Precautions	3
2. [	Database in Emergency mode	3
2.1	Event / Symptoms	3
2.2	System Details	3
2.3	Cause Identified	3
2.4	Resolution	4
2.5	Measures / Precautions	4
3. [	Database in Recovery mode	4
3.1	Event / Symptoms	4
3.2	System Details	5
3.3	Cause Identified	5
3.4	Resolution	5
3.5	Measures / Precautions	6

# **SQL** server



# MS SQL Server

# 1. Database in single mode

#### 1.1. Event / Symptoms

<< What problem has occurred>>

Database stuck in single mode.

<< What are the symptoms of problem>>
Application stop working as it supposed to work.

<<Screens shots of errors>>

#### 1.2. System Details

#### 1.3. Cause Identified

<< Description of Cause>>

SQL Server Database (XForce, Force\_Configuration) stuck in single mode.

<<Step-by-Step investigation carried out>>

The X-Force Applications does not accept shutdown password of application.

Reports are not generating still status is completed.

Not able to log in Alarm Web.

#### 1.4. Resolution

<< Description of Resolution. Steps carried out to resolve the issue>>

Run following query to solve the issue. Where Database Name is XForce or Force Configuration whichever is stuck in single mode.

```
USE master
GO
DECLARE @kill varchar(max) = ";
SELECT @kill = @kill + 'KILL' + CONVERT(varchar(10), spid) + ';'
FROM master..sysprocesses
WHERE spid > 50 AND dbid = DB_ID('<Database Name>')
EXEC(@kill);

GO
SET DEADLOCK_PRIORITY HIGH
```

ALTER DATABASE [Database Name] SET MULTI\_USER WITH NO\_WAIT ALTER DATABASE [Database Name] SET MULTI\_USER WITH ROLLBACK IMMEDIATE GO

#### 1.5. Measures / Precautions

<< Measures & precautions to take to avoid any such problems in future >>

# 2. Database in Emergency mode

#### 2.1 Event / Symptoms

<< What problem has occurred>>

Database stuck in Emergency mode

<< What are the symptoms of problem>> Application stop working as it supposed to work.

<<Screens shots of errors>>

# 2.2 System Details

#### 2.3 Cause Identified

<<Description of Cause>>

SQL Server Database (XForce, Force\_Configuration) stuck in Emergency mode.

<<Step-by-Step investigation carried out>>

The X-Force Applications does not accept shutdown password of application.

Reports are not generating still status is completed.

Not able to log in Alarm Web

#### 2.4 Resolution

<< Description of Resolution. Steps carried out to resolve the issue>>

Run following query to solve the issue. Where Database Name is XForce or Force Configuration whichever is stuck in Emergency mode.

```
ALTER DATABASE [Database Name] SET MULTI_USER WITH ROLLBACK IMMEDIATE
GO

OR

DBCC CHECKDB ([Database Name], REPAIR_ALLOW_DATA_LOSS)
GO
```

## 2.5 Measures / Precautions

<< Measures & precautions to take to avoid any such problems in future >>

# 3. Database in Recovery mode

## 3.1 Event / Symptoms

<< What problem has occurred>>

Database stuck in recovery mode.

<< What are the symptoms of problem>> Application stop working as it supposed to work.

<<Screens shots of errors>>

#### 3.2 System Details

#### 3.3 Cause Identified

<< Description of Cause>>

SQL Server Database (XForce, Force Configuration) stuck in Recovery mode.

<<Step-by-Step investigation carried out>>

The X-Force Applications does not accept shutdown password of application.

Reports are not generating still status is completed.

Not able to log in Alarm Web

#### Reasons Why SQL Database Is in Recovery Mode

The reason why SQL Server database is in recovery mode is as follows:

- 1. While restarting the SQL Server.
- 2. When the Database is Set Offline and Online.
- 3. Restoring the database from backup.

All the above reasons mentioned called Recovery process of the database and all the databases must go through these processes as explained earlier.

#### 3.4 Resolution

<<Description of Resolution. Steps carried out to resolve the issue>>

Run following query to solve the issue. Where Database Name is XForce or Force Configuration whichever is stuck in Recovery mode.

```
USE [master] ;
ALTER DATABASE [Database Name] SET RECOVERY FULL ;
```

< <measures &="" pre<="" th=""><th>ecautions to take</th><th>to avoid anv su</th><th>ch problems in fu</th><th>ture &gt;&gt;</th></measures>	ecautions to take	to avoid anv su	ch problems in fu	ture >>
		,	<b>-</b>	